

Παγκόσμιος Ηγέτης στο Ιδανικό Κλίμα.



Kevtpoxi Γραφεία | Ελ. Βενιζέλου 5 Έκθεση | Αριστείδου 40 & Ελ. Βενιζέλου 3 ΤΚ | 55133 | Καλαμαριά | Θεσσαλονίκη Τ | 2310,440.844 F | 2310,432.868 e-mail: Info@klimamichaniki.gr www.klimamichaniki.gr









MC30YV/YB

- Air treatment up to 46m²
- · Pure air thanks to 'Catch and Clean' approach
- No need to change filter for 10 years thanks to high performance electrostatic HEPA filter
- · Whisper quiet operation (19 dB(A))

Capacity in turbo operation mode

AIR PURIFICATION

Air purification

Airflow

3.0_{m³/min.}

Applicable room area


~46...

^{*} UK plug

^{**} Area calculated according to NRCC-54013-2011 standard using CADR value by test method based on Japan Electric Manufacturers' Association Standard JEM 1467.

Tower Type structure

resulting in Cleaner air delivery, lower sound level and effective 3-way air flow





Specifications

More details and final information can be found by scanning or clicking the QR codes.







Technical specifications			MC	MC30YV/YB
Application				Floor Standing Type
Applicable room area				23 (1) / 46 (2)
CADR			m³/h	180
Weight	Unit		kg	5.8
Dimensions			mm	565/350/345
Casing	Colour			White
Fan	Type			Multi Blade Fan (Sirocco fan)
	Air flow rate	Air purifying Silent/Medium operation Turbo	m/ m³/h	60/120/180
Sound pressure level	Air purifying operation	Silent/Medium/Turbo	dBA	19/27/37
Air purifying operation	Power input	Silent/Medium/Turbo	kW	0.008/0.015/0.025
Deodorizing method				Flash streamer + Deodorizing catalyst
Dust collecting method				Electrostatic HEPA filter
Air filter	Type			Polyethylene terephthalate net
Sign	Item	01		Child proof lock lamp/ ON/OFF lamp Streamer lamp/ Sleep mode
Power supply		Phase Frequency Voltage	Hz Hz	1~ 50/60
			V	220-240/220-30
Type				Air Purifier

Standard accessories: Electrostatic HEPA filter; Quantity : t;

Standard accessories: Deodorising filter; Quantity: 1;

Standard accessories: Operation manual; Quantity: 1;

Note

(I) The applicable room area is appropriate for operating the unit of maximum fan speed (HH). Applicable room area indicates the space where a certain amount of dust particles can be remover in 30 minutes. (JEM 1467) | (2) The applicable room area is appropriate for operating the unit of maximum fan speed (HH). Applicable room area was calculated in accordance with NRCC-54013 standard using cigarette smoke CADR that was tested according to JEM1467. | Converted to CADR standards from test values in accordance with JEM1467. | Operating sound levels are the average of values measured at 1m away from the front, left, right and top of the unit. (These are equal to the values in an anechoic chamber) | Electrostatic HEPA filter is attached in the unit. | Other function: Auto-restart function.